

COMMUNITY HEALTH PROFILES 2022

Birmingham Public Health Division September 2022

Public Health Evidence Reports

1. Statutory Reports

Joint Strategic Needs Assessment

- A regularly refreshed snapshot of the health and wellbeing of the citizens of Birmingham and the factors underpinning this.
- Highlights the inequalities at a high level across the city.
- Draws together data from across the Council and public sector.

Annual Director of Public Health Report

• Annual independent report of the Director of Public Health on a specific topic/focus area to shine a light on an issue.

Public Health Evidence Reports (cont.)

2. Elective Evidence Reports

Deep Dive Needs Assessments

- Structured needs assessments into a specific area/topic/community
- Brings together published and grey literature, service data and qualitative data from community insight
- Makes recommendations for action

Community Health Profiles

- Desk top analysis of published evidence and grey literature and population survey data.
- Snapshot of inequalities.

Topic Based Commissions

 Evolving methodology using evidence collation with active community collaboration to focus on creating evidence-based solutions.



The Community Health Profiles

- Birmingham has an ambition for a **bolder healthier city**, becoming a city in which, every citizen can live a healthy enjoyable life.
- The Community Health Profiles help us understand the gaps (health inequalities) in achieving this ambition in different communities.
- The Profiles describe the health inequalities of a specific community of identity or interest or experience.
- Setting out the differences in need shown by the evidence can help the Council, it's partners and communities take action to close the gaps and improve the health of people in Birmingham.
- The Community Health Profiles will be published on the Council's website as resources to support greater understanding and awareness of the issues affecting different communities in our city.
- We aim to refresh them every 5-8 years depending on the data availability.

Evidence Report Forward Plan

Community Health Profiles

- Sikh (Sept 2021)
- Bangladeshi- (Sept 2021)
- Muslim
- Lesbian
- Trans
- d/Deaf & Hearing Loss
- Sight Loss
- Nigerian
- Indian
- Caribbean Islands
 Commonwealth States
- Somali 🛑
- Kenyan
- Pakistani

Deep Dive Reports

- Veterans (published)
- End of Life (published)
- Learning Disabilities
- Dual Diagnosis
- Mobility Impairment
- Sensory Impairment

Commissions

- Birmingham Poverty Truth Commission – focus on Housing issues
- Birmingham & Lewisham African & Caribbean Health Inequalities Review

Community Health Profiles aim to...



To find and review the physical health, mental health, lifestyle behavioural and wider determinants (social and economic factors) that exist in health in a specific community.



To collect and present this information using the 10 key priority areas identified in the Health and Wellbeing Strategy for Birmingham - Creating a Bolder Healthier City.



To engage with the local communities on the evidence found and highlight the opportunities to address inequalities.



To promote the use of these summaries for Local Authority and wider system use for community and service development.



Health and Wellbeing Themes

Getting the Best Start in Life

Mental Wellness and Balance

Healthy and Affordable Food

Active at Every Age and Ability

Working and Learning Well

Protect and Detect

Ageing and Dying Well

Closing the Gaps

Green and Sustainable Future

Mitigating the Legacy of COVID-19

Methodology

- A comprehensive review of
 - Academic literature, including PubMed, Census 2011
 - Grey literature, including national, voluntary and community reports, PHE and NHS, google/google scholar
 - Health & Wellbeing data review and research synthesis according to specified health and well-being indicators
- Comparator groups include the White British and Black African populations of the UK.

Limitations of the Findings

- Population data used is from the 2011 Census and is likely to have changed since then. Conclusions on populations must therefore be taken with caution.
- There is a sparsity of literature on the specific communities within Birmingham. Census data also does not provide information on second and later generations of migrants from the target communities.
- Data is often aggregated together and analyses 'Black African' population as a homogenous group, instead of looking at specific inequalities of particular communities.

Sharing Community Health Profiles

- Written report & PowerPoint slide set
- Published on the <u>BCC Communities</u> <u>Pages</u>
- YouTube highlights video
- Webinars for Somali community and wider partners





COMMUNITY HEALTH PROFILES 2022

Somali Profile Weblink: <u>Somali community health profile |</u> <u>Community health profiles | Birmingham City</u> <u>Council</u>

Overview of Somali Community

- The official languages of Somalia are Somali, which is understood across the country, and Arabic.^[1]
- There are more than 85,918 Somali-speakers across England. 14th largest language spoken in England and Wales.^[2]
- The most prominent wave of migration from Somalia to the UK has been from 1991 to the 2000s.^[3]
- Between 1985 and 2006, Somalia was consistently one of the top ten asylum applicant producing countries in the UK.^[3]
- 84.1% of males and 80.4% of females from Somalia in Birmingham were between the ages of 0 to 44.^[4]


The UK is home to the largest Somali population in Europe. 108,000 Somalis in the UK.^[5]



9,870 people from Somalia across the West Midlands.^[6]

Census data shows 7,765 people from Somalia live in Birmingham.^[6]

Overview of Inequalities



Getting the Best Start in Life

Maternal Health

0.69% Of live births in the West Midlands were from mothers born in Somalia according to PHE data. ^[7]	63% Of the Somali ethnic group in Birmingham is aged 0-19, compared to 29% of the general population. ^[8]
0.97% Mothers from Somalia accounted for 0.97% of the stillbirths in the West Midlands. ^[7]	Higher drop out rate for preschool booster vaccines. ^[9]
 Among foreign-born mothers in Birmingham, those from Somali accounted for 6% of live births.^[7] 	 Somali pupils eligible for Free School Meals, and more than 8 out of 10 pupils live in a poor household (DCSF).^[10]
Overall mothers from Somali accounted for 3.10% of all stillbirths in Birmingham.	Of Somali FSM boys achieving 5+ GCSE's A*-C including English and Maths, below city average (60%). ^[11]

Children Statistics

Mental Wellness and Balance

- Somali communities in the UK have relatively high levels of mental III-health and low levels of mental health service use.
- 58% of Somali survey respondents felt the need for mental health support.^[12]
- Only 14% of Somali survey participants have used mental health support services.^[12]

Barriers to Accessing Mental Health Services^[12]

- Lack of information about the
 - services available in the area (67%).
- Feeling that the services do not understand the Somali community (78%).



 Preference for support from friends and family (45%).

Mental Health and Wellbeing (cont.)

Alcohol

 Statistics of alcohol consumption by the Somali community in the UK not available, research suggests that the Muslim faith is likely a protective factor.^[13]

Smoking and Tobacco Use

- Smoking rates higher than in the general UK population, especially in men over 40 and those that regularly use Khat.^[14]
- A study suggest that attitudes to smoking in the country of origin affected the attitudes and smoking behaviour of the migrant community in the UK.^[15]

Substance Misuse

• High levels of khat use (77%) among Somali men and women of all ages.^[13]


Healthy and Affordable Food

- A UK-based study has found around 97% Somali respondents consumed less than 2 pieces of fruit per day and 92% consumed less than 2 portions of vegetables per day.^[16]
- One study found the mean BMI was 24 in Somali men and 29 in Somali women.^[17]
 - **61%** of the participants were overweight or obese, and **27%** were obese. Of obese subjects, **67%** were women.



Active at Every Age and Ability

- Overall levels of physical activity are low within the Somali community, and as with most ethnic minority communities, levels are lower for Somali women than men.^[18]
- According to research, Somali women felt their physical activities have reduced and that they were more physically active before immigration.^[19]





Financial constraints for memberships


Limited choice of suitable clothing



Absence of women only facilities

Working and Learning Well

- 64% of Somali refugees in the UK had low English language skills.
- Employment rates increased over time:
 - 20% of refugees finding employment after 8 months, 28% being in employment after 15 months, 39% in employment after 21 months.^[21]
- Only one in ten is in full-time work. A study has found unemployment among Somalis has remained high – in excess of 70%.^[22,23]



General Health

86% of Somali-born residents surveyed in the West Midlands felt they have very good or good health, higher than Somali-born residents in England and Wales (82%).^[25]

- In the West Midlands 4.8% Somali-born residents reported on the 2011 Census that they have bad or very bad health, lower than England and Wales average (7%).^[25]
- 89% of Somali-born residents living with a long-term health problem or disability in the West Midlands felt it did not impact their day-to-day activities, compared to 11% who felt it did.^[26]

Protect and Detect

- For those born outside the UK who were notified with TB in 2020, Somali was one of the top 5 most common countries of birth (13.3%).^[27]
- **68%** of Somali women would seek help from community leaders in the UK or another country before help from authorities if they experienced domestic violence.^[28]
- Limited data on screening and sexual health of the Somali community in the UK.

Shame, stigma, Gender, religious, Absence of culturally Language barriers aware professionals cultural norms taboo

Barriers to Sexual Health Services^[29]

Ageing and Dying Well

COPD Diabetes CVD End of Life Preference for • Limited data, • Prevalence of Somali women diabetes are more likely study Somali children to higher among to have two or suggests that Somali for khat look after their more cardiovascular parents over patients chewers, risk factors.^[31] (12.1%) than 40.1% had prolonged hospitalisation restrictive general patterns of or placement population in a facility.^[33] (5.3%) in one lung US study^[30] disease^[32]

Mitigating the Effects of COVID-19

- The Joseph Rowntree Foundation (JRF) has found higher rates of loneparent Somali households, and research on the impact of the pandemic on single parent households has found:
 - It is likely nearly half (44%) of children in a single parent family were in poverty on the eve of the Coronavirus pandemic,
 - Compared to just one in four (26%) of those living in other families.^[34]






COMMUNITY HEALTH PROFILES 2022

Somali Profile Infographics

INTERNATIONAL, NATIONAL AND BIRMINGHAM CONTEXT



6 I CURRENT POPULATION ESTIMATES FOR SOMALIA

INTERNATIONAL CONTEXT

Conflict and violence as well as sudden-onset of disasters and food insecurity have often displacement at a mass scale in Somalia. The UNHCR estimates there to be around 3 million internally displaced people (IDPs) in the country

MIGRATION, LANGUAGES AND FAITH

MIGRATION

The most prominent wave of migration from Somalia to the UK has been from 1991 to the 2000s. Since 2000, the UK has attracted Somalis from across Europe. Between 1985 and 2006, Somalia was consistently one of the top ten asylum applicant producing countries in the UK

People in Birmingham who speak Somali, making it one of the most common main languages in Birmingham. In England Somali is the main language of 84,387 people


Almost all Somalis are Muslims, with most being part of the Sunni sect. Mosques are the primary centres for religious and Social gatherings

THERE ARE TWO EID FESTIVALS


Ramadan ends with three days of festivities called Eid al-Fitr; Eid-ul-Adha comes at the end of the annual pilgrimage of the Hajj

DISTRIBUTION OF THE SOMALI COMMUNITY

Data to in the 2001 Census illustrates the distribution of the Somali population living in the UK. When looking at Birmingham data only, the highest distribution of the Somali population is in the following wards: Nechells (1,559), Aston (895) and Bordesley Green (918).



Source: BBC Born Abroad: Somalia (2001 Census). The map shows if areas with roughly equal population were the same size



WORKING AND LEARNING WELL

ACADEMIC ATTAINMENT Attainment of 5+ GCSEs grade A*-C including English and Maths of Somali community in Birmingham (2013) City Average 60%

60% Somali Girls Somali Boys 55%

Girls outperformed boys for all ethnic groups

ECONOMIC INACTIVI ONS data shows high levels of

economic inactivity 31% 84% amongst the Somali community

> OVERCROWDING Overcrowding is a major issue in the community; average Somali household has four members, though many have six or more people living in them



PROTECT AND DETECT

CANCER SCREENING

The limed data and information on the take up of breast and cervical cancer screening by Somali women shows that screening is infrequent for both types of cancers

BARRIERS TO SCREENING Percieved low susceptability to

Hesitancy to use male practitioner

Embarrasment of FGM



A Birmingham-based study found limited knowledge within the community of sexual health services; barriers in accessing services included

HPV and cancer

Distrust of health

care system

SHAME, STIGMA AND TABOO, LANGUAGE BARRIERS AND ABSENCE OF CULTURALLY AWARE AND SENSITIVE HEALTHCARE PROFESSIONALS

One or the highest rates of TB in the UK are found among people of Somali ethnicity. People born in Somalia account for

> OF THE UK'S TB CASES. WITH A MEDIAN TIME OF 10 YEARS FROM ENTRY TO NOTIFICATION SINCE ARRIVAL TO THE UK

AGEING AND DYING WELL

12.1% POPULATION IN THE U.S COMPARED WITH THE GENERAL POPULATION

CARDIOVASCULAR DISEASE

Research from Finland has found Somali men were less likely to have more than one cardiovascular risk factor compared with men from the general Finnish population. Conversely, Somali women were more likely to have two or more cardiovascular risk factors

CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) There is an absence of statistics on the prevalence of COPD within the Somali community in the UK

The risk of dementia increases

with age, particularly after the age

for only **I.J** /O POPULATION

INDICATING PREVALENCE OF

DEMENTIA WILL LIKELY BE LOW

of 65: Birmingham's over 65 Somalis

account 1 CO/ OF THE COMMUNITY'S

RESTRICTIVE PATTERNS OF LUNG DISEASES

Research on chronic consumption of khat in Ethiopia reveals its impact on lung function, which may be applicable to the Somali community

U.S. study found it is likely Somali children prefer 🧲 to look after their elderly; in Somalia parents raise children and children care for parents in their old age. Study suggests treatment 🥖 plan should allow for Somali children to care for terminally ill and elderly instead of prolonged hospitalisations or placement in nursing or hospice facility

CLOSING THE GAPS

Overall the Somali community across the UK experience high levels of poverty, with most living in overcrowded housing, high proportions or economical inactivity, experiencing high levels of unemployment, along with many managing health issues like PTSD

References

[1] Somalia: People, Britannica, [Internet] [cited 23 March 2022] Accessed here: <u>https://www.britannica.com/place/Somalia/Plant-and-animal-life#ref419600</u>

[2] Gopal D, and Matras Y. "What languages are spoken in England and Wales?". 2003. [Internet] [cited 23 March 2022] ESRC Centre on Dynamics of Ethnicity (CoDE). [3] The Somali Muslim Community in England: Understanding Muslim Ethnic Communities, April 2009, Department for Communities and Local Government. Pp. 24. [Internet] [cited 23 March 2022] Available here: <u>https://</u> webarchive.nationalarchives.gov.uk/ukgwa/20120919192749/http://www. communities.gov.uk/publications/communities/somalimuslimcommunity

[4] SP009, 2011 Census, [Internet] [cited 23 March 2022] Accessed here: https://www.nomisweb.co.uk/census/2011/small_population

[5] Office for National Statistics, Population and migration, 2018. [Internet] [cited 23 March 2022] Accessed here: <u>https://www.ons.gov.uk/file?uri=/peoplepopulationand community/populationandmigration/internationalmigration/datasets/</u> <u>populationoftheunitedkingdombycountryofbirthandnationality/januarytodecember2018/populationbycountryofbirthandnationalityjan18to_dec18.xls</u>

[6] 2011 Census: Country of birth by local authority, Table QS203EW, [Internet] [cited 23 March 2022] <u>http://www.ons.gov.uk/ons/rel/census/2011-census/key-statistics-for-local-authorities-in-england-and-wales/rft-table-qs203ew.xls</u>

[7] Infant and Perinatal Mortality in the West Midlands, Public Health England, 2016. [Internet] [cited 23 March 2022] Accessed here: https://assets. publishing.service.gov.uk/government/uploads/system/uploads/attachment_ data/file/515800/InfantMortalityInTheWestMidlandsFinal.pdf

[8] Census 2011. NOMIS. DC2101EW, - Ethnic group by sex by age [Internet]. 2011 [cited 2022 March 7]. Accessed here: https://www.nomisweb.co.uk/census/2011/ DC2101EW/view/1946157186?rows=c_age&cols=c_ethpuk11

[9] Tiley K, White J, Andrews N, Ramsay M, Edelstein M. Inequalities in childhood vaccination timing and completion in London. Vaccine. 2018 Oct 29. 36 (45): 6726-6735. [Internet] [cited 23 March 2022] Accessed here: https://doi.org/10.1016/j.vaccine.2018.09.032

[10] Strand, S. Drivers and challenges in raising the achievement of pupils from Bangladeshi, Somali and Turkish backgrounds, Department for children, schools and families, March 2010, [Internet] [cited 23 March 2022] Accessed here: https://dera.ioe.ac.uk/828/1/DCSF-RR226.pdf

References (2)

[11] Bradnam, L. Ethnic Groups iin the Labour Market: a statistical analysis for Birmingham, Birmingham City Council, 2014. pp.15. [Internet] [cited 23 March 2022] Accessed here:

https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwjXuemj07z2AhVJT8AKHTkFDHEQFnoECA0QAQ&url=https %3A%2F%2Fwww.birmingham.gov.uk%2Fdownload%2Fdownloads%2Fid%2F2477%2Fethnic_groups_in_the_labour_market_october_2014.pdf& usg=AOvVaw1hIIOwyo12Yuc7Rsh-BHBI

[12] Improving mental health support for the UK Somali Community, Anti-Tribalism Movement, 2020. [Internet] [cited 23 March 2022] Accessed here: https:// theatm.org/wp-content/uploads/2020/11/ATM-Improving-Mental-Health- Support-for-the-UK-Somali-Community.pdf

[13] Yussuf, A., Asquith, P. and Ali, S., Chewing it over: Khat use in Lambeth's Somali community, London Borough of Lambeth, 2007, [Internet] [cited 23 March 2022] Accessed here: https://www.lambeth.gov.uk/sites/default/files/ lambeth-khat-report.pdf

[14] Smoking Attitudes and Prevalence of a Somali Population in London, UCL, [Internet] [cited 23 March 2022] Accessed here: https://www.ucl.ac.uk/hbrc/tobacco/pubs/Smoking%20prevalence%20attitudes_78.pdf

[15] Poonia J. Smoking cessation and ethnic minority communities: Findings of a qualitative research project with Somali, Polish and Turkish communities in London. NHS Commissioning Support for London, 2009.

[16] Patil CL, Hadley C, Nahayo PD. Unpacking dietary acculturation among New Americans: results from formative research with African Refugees. J Immigr Minor Health. 2009;11(5):342–58.

[17] Dalmar, A., Overweight and obesity in Somali immigrants to the USA, 2005, Abstract presentations as presented at the 20th Annual International Interdisciplinary conference on hypertension and related cardiovascular risk factors in ethnic populations, [Internet] [cited 23 March 2022] Accessed here: https://www.ethndis.org/priorsuparchives/ethn-16-3s4-35.pdf

[18] Brophy S, Crowley A, Mistry R, et al. Recommendations to improve physical activity among teenagers: a qualitative study with ethnic minority and European teenagers. BMC Publ Health. 2011; 11:412.

References (3)

[19] Leinberger-Jabari A: Diet and physical activity in the Somali community: Somali Health Care Initiative focus group findings. Minneapolis: Minnesota International Health Volunteers; 2005. [Internet] [cited 23 March 2022] Accessed here: http://www.wellshareinternational.org/sites/default/files/Somali%20CFA%20Report.pdf (page now deleted).

[20] Cole I. and Robinson D., Somali Housing Experiences in England, Sheffield Hallam University. 2003. [Internet] [cited 23 March 2022] Available here:https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&cad=rja&uact=8&ved=2ahUKEwixkpzT2_f2AhXGYcAKHW2cDA4QFno ECQAQ&url=https%3A%2F%2Fwww.researchgate.net%2Fpublication%2F237464080_Somali_Housing_Experiences_in_England&usg=AOvVaw3b Nd2ACI95bI VIiNSRytur

[21] Cebulla A, Daniel M, and Zurawan A, Spotlight on refugee integration: findings from the Survey of New Refugees in the UK, Home Office, 2010, [Internet] [cited 23 March 2022] Accessed here:

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/116062/horr37-report.pdf

[22] Britain's Somalis: The road is long, The Economist, 17 August 2013, Accessed here: https://www.economist.com/britain/2013/08/17/the-road-is-long

[23] Becoming visible: The Somali community and substance use in London, Adfam, 2009, [Internet] [cited 23 March 2022] Accessed here: https://adfam.org.uk/files/docs/becoming_visible.pdf

[24] Khan K, Employment of Foreign Workers Male and Female Labour Market Participation, Office for National Statistics, 2008, [Internet] [cited 23 March 2022] Accessed here: https://webarchive.nationalarchives.gov.uk/ukgwa/20160105160709/http://www.ons.gov.uk/ons/rel/Imac/employment-of-foreign-workers/employment-of-foreign-workers-male-and-female-labour-market-participation/employment-of-foreign-workers-male-and-female-labour-market-participation/employment-of-foreign-workers-male-and-female-labour-market-participation/employment-of-foreign-workers-male-and-female-labour-market-participation.pdf

[25] 2011 Census Table CT0565

[26] Long-term Health Problem or Disability survey

References (4)

[27] UK Health Security Agency. Tuberculosis in England- 2021 report 2021 [Internet] [cited 23 March 2022] Accessed here: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/ file/1030165/TB_annual-report-2021.pdf

[28] Musiri E T R, Uncovering the hidden challenges Somali domestic violence victims face, 28 June 2021, Women's Inclusive Team, [Internet] [cited 2022 March 7]. Accessed here: <u>https://wit.org.uk/somali-women-domestic-violence/</u>

[29] Salad J, Verdonk P, de Boer F, Abma TA, "A Somali girl is Muslim and does not have premarital sex. Is vaccination really necessary?" A qualitative study into the perceptions of Somali women in the Netherlands about the prevention of cervical cancer, International Journal of Equity in Health, 2015. [Internet] [cited 23 March 2022] Accessed here: <u>https://www.somalimedicalarchives.org/ archive/articles/345-a-somali-girl-is-muslim-and-does-not-have-premarital-sex-is-vaccination-really-necessary-a-qualitative-study-into-the-perceptions-of-somali-women-in-the-netherlands-about-the-prevention-of-cervical-cancer</u>

[30] Njeru JW, Tan EM, St Sauver J, Jacobson DJ, Agunwamba AA, Wilson PM, Rutten LJ, Damodaran S, Wieland ML. High Rates of Diabetes Mellitus, Pre-diabetes and Obesity Among Somali Immigrants and Refugees in Minnesota: A Retrospective Chart Review. J Immigr Minor Health. 2016 Dec;18(6):1343-1349. doi: 10.1007/s10903-015-0280-3. PMID: 26416285. [Internet] [cited 2022 March 7]. Accessed here: https://pubmed.ncbi.nlm.nih.gov/26416285/

[31] Natalia Skogberg, Tiina Laatikainen, Seppo Koskinen, Erkki Vartiainen, Antti Jula, Jaana Leiviskä, Tommi Härkänen, Päivikki Koponen, Cardiovascular risk factors among Russian, Somali and Kurdish migrants in comparison with the general Finnish population, European Journal of Public Health, Volume 26, Issue 4, August 2016, Pages 667–673, https://doi.org/10.1093/eurpub/ ckw041. [Internet] [cited 2022 March 7]. Accessed here: https://academic.oup.com/eurpub/article/26/4/667/2467457

[32] Woldeamanuel GG, Geta TG. Impact of chronic khat (Catha edulis Forsk) chewing on pulmonary function test and oxygen saturation in humans: A comparative study. SAGE Open Med. 2019 Jan 11;7:2050312118824616. doi: 10.1177/2050312118824616. PMID: 30719292; PMCID: PMC6348536. [Internet] [cited 2022 March 7]. Accessed here: https://pubmed.ncbi.nlm.nih.gov/30719292/

References (5)

[33] Swetz KM, Jama AA, Quirindongo-Cedeno O, Hatchett L. Meeting the needs of Somali patients at the end of life. Minn Med. 2011 Dec;94(12):43-6. PMID: 22372048. [Internet] [cited 2022 March 7]. Accessed here: https://www.researchgate.net/publication/221868188_Meeting_the_needs_of_Somali_ patients_at_the_end_of_life

[34] Tackling single parent poverty after the Coronavirus, Gingerbread, 16 December 2020, [Internet] [cited 2022 March 7]. Accessed here: https://www. gingerbread.org.uk/policy-campaigns/publications-index/tackling-single-parent-poverty-after-coronavirus/



G @birminghamcitycouncil



@birminghamcitycouncil



birmingham.gov.uk