



**Notes :-**

1. All dimensions in millimetres unless otherwise stated.
2. This drawing should be read in conjunction with Standard Detail Sheets HW/1.01 - HW/1.06 and HW/1.55.
3. If site conditions are constraining, controlled crossing width can be reduced to an absolute minimum of 2.4m with approval from the Project Manager.
4. Tactile paving to be laid on 100mm ST3 Concrete and 20mm Class 3 mortar for the full extent of the paving. Concrete to be fully cured before laying of mortar and paving.
5. Minimum reinstatement width to be 700mm, refer to Standard Detail Sheet HW/1.15 for footway reinstatement construction.
6. Duct boxes within soft verges to have 200x100x50mm concrete block surround - colour to match existing nearby or to be confirmed by the Project Manager, on 100mm of ST4, refer to Standard Detail Sheet HW/1.53 for paving details.



SCHEME  
STANDARD DETAIL SHEETS



DRAWING  
TACTILE PAVING  
SETTING OUT  
ARRANGEMENTS

This detail is controlled by Birmingham City Council. Email - Transport.Projects@Birmingham.gov.uk

| DATE | REV. | DESCRIPTION              | BY | CHECKED | SCALE |
|------|------|--------------------------|----|---------|-------|
| 2017 | M    | NOTES AMENDED            |    |         |       |
| 2016 | L    | DETAILS & FRAME AMENDED  |    |         |       |
| 2015 | K    | DETAILS AMENDED          |    |         |       |
| 2014 | J    | DETAILS AMENDED          |    |         |       |
| 2013 | I    | DETAILS & FRAME AMENDED  |    |         |       |
| 2010 | H    | DETAILS & NOTES AMENDED  |    |         |       |
| 2007 | G    | DETAILS & NOTES AMENDED  |    |         |       |
| 2007 | F    | DETAILS & NOTES AMENDED  |    |         |       |
| 2005 | E    | DETAILS & NOTES AMENDED  |    |         |       |
| 2005 | D    | DETAILS & FRAME AMENDED  |    |         |       |
| 2003 | C    | DETAILS AMENDED          |    |         |       |
| 2003 | A    | DETAILS & NOTES AMENDED  |    |         |       |
| 2002 | B    | BORDER & TITLE AMENDED   |    |         |       |
| 2000 | -    | ORIGINAL DRAWING CREATED |    |         |       |

| DRAWN          | DESIGNER | PM | PP       | REVISION |
|----------------|----------|----|----------|----------|
| DH             | 12/12/13 | TE | 12/12/13 | PP       |
| DRAWING STATUS |          |    |          | M        |
| GENERAL        |          |    |          | SCALE    |
| DWG. No        |          |    |          | NTS      |
| HW/12.53       |          |    |          |          |

2017 M NOTES AMENDED DAM TE

2016 L DETAILS & FRAME AMENDED DAM TE

2015 K DETAILS AMENDED DH TE

2014 J DETAILS AMENDED DH PP

2013 I DETAILS & FRAME AMENDED DH TE

2010 H DETAILS & NOTES AMENDED PB BP

2007 G DETAILS & NOTES AMENDED PB BP

2007 F DETAILS & NOTES AMENDED PB BP

2005 E DETAILS & NOTES AMENDED - A/C

2005 D DETAILS & FRAME AMENDED - A/C

2003 C DETAILS AMENDED - A/C

2003 A DETAILS & NOTES AMENDED - A/C

2002 B BORDER & TITLE AMENDED - A/C

2000 - ORIGINAL DRAWING CREATED SRE A/C

DRAWN DH 12/12/13

DESIGNER TE 12/12/13

PM PP 12/12/13

REVISION M

DRAWING STATUS SCALE

GENERAL NTS

DWG. No

HW/12.53